


訂購編號 Ordering Information



說明: M12模注單端綫束, 4芯直型公插頭, D碼, PVC屏蔽電纜, 5米長
Example: M12 Single-End Molded Cable, 4P Straight Male, D-Code, Shielding PVC Cable, 5M Length

① 系列 Series

XM8 M8 A -Code
XM8B M8 B -Code
XM12 M12 A -Code
XM12B M12 B -Code
XM12D M12 D -Code
XM12X M12 X -Code

② 連接器類型 Connector type

FF 板前安裝母插座 Front Mount Female Socket
FR 板後安裝母插座 Rear Mount Female Socket
FS 直型母插頭 Female Straight Plug
FA 彎型母插頭 Female Angled Plug
MF 板前安裝公插座 Front Mount Male Socket
MR 板後安裝公插座 Rear Mount Male Socket
MS 直型公插頭 Male Straight Plug
MA 彎型公插頭 Male Angled Plug

③ 芯數 Poles

3C 3 Poles **4C** 4 Poles **5C** 5 Poles
8C 8 Poles **12C** 12 Poles **17C** 17 Poles

④ 其他 Others

LA 插座 Socket
FL 法蘭插座 Flange Socket
DIP 板端插座 DIP Socket
SH 金屬本體 Metal Shell
M 塑膠本體 Plastic Shell
MD 模注插頭 Molding Plug
V PVC 外披覆 PVC Sheath
VS PVC 外披覆+屏蔽 PVC Sheath with shielding
LS 低煙無鹵 PVC 外披覆 LSZH PVC Sheath
U PUR 外披覆 PUR Sheath
US PUR 外披覆+屏蔽 PUR Sheath with shielding

⑤ 綫長 Cable Length

編碼 Coding	母觸點排布 Female Contact Arrangements	公觸點排布 Male Contact Arrangements
M8 A Code M8 B Code 5C		
M12 A Code		
M12 A Code		
M12 D Code 4C M12 B Code 5C M12 X Code 8C		

現場總綫I/O連接器 Fieldbus I/O Connectors

類型 Type	M12 公連接器	M12 母連接器	M12 公連接器	M12 母連接器
現場總綫 Field bus				
Fieldbus	Bus Connector, Male	Bus Connector, Female	Bus Connector, Male	Bus Connector, Female
Ethernet/IP PROFINET	XM12D-MS-4C-M	XM12D-FS-4C-M	XM12D-MS-4C-SH	XM12D-FS-4C-SH
Ethernet/IP 10G	XM12X-MS-8C-M	XM12X-FS-8C-M	XM12X-MS-8C-SH	XM12X-FS-8C-SH
PROFIBUS DP	XM12B-MS-5C-M	XM12B-FS-5C-M	XM12B-MS-5C-SH	XM12B-FS-5C-SH
PROFIBUS PA	XM12-MS-3C-M	XM12-FS-3C-M	XM12-MS-3C-SH	XM12-FS-3C-SH
CC - Link	XM12-MS-4C-M	XM12-FS-4C-M	XM12-MS-4C-SH	XM12-FS-4C-SH
CANopen	XM12-MS-5C-M	XM12-FS-5C-M	XM12-MS-5C-SH	XM12-FS-5C-SH
DeviceNet	XM12-MS-5C-M	XM12-FS-5C-M	XM12-MS-5C-SH	XM12-FS-5C-SH
Foundation Fieldbus	XM12-MS-4C-M	XM12-FS-4C-M	XM12-MS-4C-SH	XM12-FS-4C-SH
AS - i	XM12-MS-4C-M	XM12-FS-4C-M	XM12-MS-4C-SH	XM12-FS-4C-SH

■ XM8 連接器 XM8 Connectors [A Code]

類型 Type	Front Mount Female Socket	Rear Mount Female Socket	Front Mount Male Socket	Rear Mount Male Socket	Field Female Straight Plug	Field Male Straight Plug
芯數 No. of Contact						
3	XM8-FF-3C-LA	XM8-FR-3C-LA	XM8-MF-3C-LA	XM8-MR-3C-LA	XM8-FS-3C-M	XM8-MS-3C-M
4	XM8-FF-4C-LA	XM8-FR-4C-LA	XM8-MF-4C-LA	XM8-MR-4C-LA	XM8-FS-4C-M	XM8-MS-4C-M
6	XM8-FF-6C-LA	XM8-FR-6C-LA	XM8-MF-6C-LA	XM8-MR-6C-LA	-	-

■ XM12 母接頭連接器 XM12 Female Connectors [A Code]

類型 Type	Front Mount Female Socket	Rear Mount Female Socket	Front Mount Female Socket (DIP)	Metal Field Female Straight Plug	Field Female Straight Plug	Field Female Angled Plug
芯數 No. of Contact						
4	XM12-FF-4C-LA	XM12-FR-4C-LA	XM12-FF-4C-DIP	XM12-FS-4C-SH	XM12-FS-4C-M	XM12-FA-4C-M
5	XM12-FF-5C-LA	XM12-FR-5C-LA	XM12-FF-5C-DIP	XM12-FS-5C-SH	XM12-FS-5C-M	XM12-FA-5C-M
8	XM12-FF-8C-LA	XM12-FR-8C-LA	XM12-FF-8C-DIP	XM12-FS-8C-SH	XM12-FS-8C-M	XM12-FA-8C-M

■ XM12 公接頭連接器 XM12 Male Connectors [A Code]

類型 Type	Front Mount Male Socket	Rear Mount Male Socket	Front Mount Male Socket (DIP)	Metal Field Male Straight Plug	Field Male Straight Plug	Field Male Angled Plug
芯數 No. of Contact						
4	XM12-MF-4C-LA	XM12-MR-4C-LA	XM12-MF-4C-DIP	XM12-MS-4C-SH	XM12-MS-4C-M	XM12-MA-4C-M
5	XM12-MF-5C-LA	XM12-MR-5C-LA	XM12-MF-5C-DIP	XM12-MS-5C-SH	XM12-MS-5C-M	XM12-MA-5C-M
8	XM12-MF-8C-LA	XM12-MR-8C-LA	XM12-MF-8C-DIP	XM12-MS-8C-SH	XM12-MS-8C-M	XM12-MA-8C-M

■ XM12 母接頭連接器 XM12 Female Connectors

■ XM12 公接頭連接器 XM12 Male Connectors

類型 Type	Front Mount Female Socket	Rear Mount Female Socket	Metal Field Female Straight Plug	Front Mount Male Socket	Rear Mount Male Socket	Metal Field Male Straight Plug
芯數 No. of Contact						
4 D	XM12D-FF-4C-LA	XM12D-FR-4C-LA	XM12D-FS-4C-SH	XM12D-MF-4C-LA	XM12D-MR-4C-LA	XM12D-MS-4C-SH
5 B	XM12B-FF-5C-LA	XM12B-FR-5C-LA	XM12B-FS-5C-SH	XM12B-MF-5C-LA	XM12B-MR-5C-LA	XM12B-MS-5C-SH
8 X	XM12X-FF-8C-LA	XM12X-FR-8C-LA	XM12X-FS-8C-SH	XM12X-MF-8C-LA	XM12X-MR-8C-LA	XM12X-MS-8C-SH

XM8/XM12 帶綫插座 XM8/XM12 Socket with Wire (A Code)

類型 Type 芯數 No. of Contact		Front Mount Female	Front Mount Male	Front Mount Female	Rear Mount Female	Front Mount Male	Rear Mount Male
							
3	0.5m	XM8-FF-3C-LA0.5	XM8-MF-3C-LA0.5	XM12-FF-3C-LA0.5	XM12-FR-3C-LA0.5	XM12-MF-3C-LA0.5	XM12-MR-3C-LA0.5
4	0.5m	XM8-FF-4C-LA0.5	XM8-MF-4C-LA0.5	XM12-FF-4C-LA0.5	XM12-FR-4C-LA0.5	XM12-MF-4C-LA0.5	XM12-MR-4C-LA0.5
5	0.5m	XM8B-FF-5C-LA0.5	XM8B-MF-5C-LA0.5	XM12-FF-5C-LA0.5	XM12-FR-5C-LA0.5	XM12-MF-5C-LA0.5	XM12-MR-5C-LA0.5

XM12 帶綫插座 XM12 Socket with Wire (A Code)

類型 Type 芯數 No. of Contact		Front Mount Female	Rear Mount Female	Front Mount Male	Rear Mount Male
					
8	0.5m	XM12-FF-8C-LA0.5	XM12-FR-8C-LA0.5	XM12-MF-8C-LA0.5	XM12-MR-8C-LA0.5
12	0.5m	XM12-FF-12C-LA0.5	XM12-FR-12C-LA0.5	XM12-MF-12C-LA0.5	XM12-MR-12C-LA0.5
17	0.5m	XM12-FF-17C-LA0.5	XM12-FR-17C-LA0.5	XM12-MF-17C-LA0.5	XM12-MR-17C-LA0.5

XM12 帶綫插座 XM12 Socket with Wire

類型 Type 芯數 No. of Contact		Front Mount Female	Rear Mount Female	Front Mount Male	Rear Mount Male
					
4 D	0.5m	XM12D-FF-4C-LA0.5	XM12D-FR-4C-LA0.5	XM12D-MF-4C-LA0.5	XM12D-MR-4C-LA0.5
5 B	0.5m	XM12B-FF-5C-LA0.5	XM12B-FR-5C-LA0.5	XM12B-MF-5C-LA0.5	XM12B-MR-5C-LA0.5
8 X	0.5m	XM12X-FF-8C-LA0.5	XM12X-FR-8C-LA0.5	XM12X-MF-8C-LA0.5	XM12X-MR-8C-LA0.5

XM8 單頭帶綫插頭 XM8 Single - End Cordsets (A Code)

類型 Type 芯數 No. of Contact			Male Straight	Female Straight	Male Angled	Female Angled
						
3	PVC	2m	XM8-MS-3C-V2.0	XM8-FS-3C-V2.0	XM8-MA-3C-V2.0	XM8-FA-3C-V2.0
		5m	XM8-MS-3C-V5.0	XM8-FS-3C-V5.0	XM8-MA-3C-V5.0	XM8-FA-3C-V5.0
		10m	XM8-MS-3C-V10.0	XM8-FS-3C-V10.0	XM8-MA-3C-V10.0	XM8-FA-3C-V10.0
	PUR	2m	XM8-MS-3C-U2.0	XM8-FS-3C-U2.0	XM8-MA-3C-U2.0	XM8-FA-3C-U2.0
		5m	XM8-MS-3C-U5.0	XM8-FS-3C-U5.0	XM8-MA-3C-U5.0	XM8-FA-3C-U5.0
		10m	XM8-MS-3C-U10.0	XM8-FS-3C-U10.0	XM8-MA-3C-U10.0	XM8-FA-3C-U10.0
4	PVC	2m	XM8-MS-4C-V2.0	XM8-FS-4C-V2.0	XM8-MA-4C-V2.0	XM8-FA-4C-V2.0
		5m	XM8-MS-4C-V5.0	XM8-FS-4C-V5.0	XM8-MA-4C-V5.0	XM8-FA-4C-V5.0
		10m	XM8-MS-4C-V10.0	XM8-FS-4C-V10.0	XM8-MA-4C-V10.0	XM8-FA-4C-V10.0
	PUR	2m	XM8-MS-4C-U2.0	XM8-FS-4C-U2.0	XM8-MA-4C-U2.0	XM8-FA-4C-U2.0
		5m	XM8-MS-4C-U5.0	XM8-FS-4C-U5.0	XM8-MA-4C-U5.0	XM8-FA-4C-U5.0
		10m	XM8-MS-4C-U10.0	XM8-FS-4C-U10.0	XM8-MA-4C-U10.0	XM8-FA-4C-U10.0

■ XM12 單頭帶綫插頭 XM12 Single - End Cordsets (A Code)

類型 Type 芯數 No. of Contact			Male Straight	Female Straight	Male Angled	Female Angled
4	PVC	2m	XM12-MS-4C-V2.0	XM12-FS-4C-V2.0	XM12-MA-4C-V2.0	XM12-FA-4C-V2.0
		5m	XM12-MS-4C-V5.0	XM12-FS-4C-V5.0	XM12-MA-4C-V5.0	XM12-FA-4C-V5.0
		10m	XM12-MS-4C-V10.0	XM12-FS-4C-V10.0	XM12-MA-4C-V10.0	XM12-FA-4C-V10.0
	PUR	2m	XM12-MS-4C-U2.0	XM12-FS-4C-U2.0	XM12-MA-4C-U2.0	XM12-FA-4C-U2.0
		5m	XM12-MS-4C-U5.0	XM12-FS-4C-U5.0	XM12-MA-4C-U5.0	XM12-FA-4C-U5.0
		10m	XM12-MS-4C-U10.0	XM12-FS-4C-U10.0	XM12-MA-4C-U10.0	XM12-FA-4C-U10.0
5	PVC	2m	XM12-MS-5C-V2.0	XM12-FS-5C-V2.0	XM12-MA-5C-V2.0	XM12-FA-5C-V2.0
		5m	XM12-MS-5C-V5.0	XM12-FS-5C-V5.0	XM12-MA-5C-V5.0	XM12-FA-5C-V5.0
		10m	XM12-MS-5C-V10.0	XM12-FS-5C-V10.0	XM12-MA-5C-V10.0	XM12-FA-5C-V10.0
	PUR	2m	XM12-MS-5C-U2.0	XM12-FS-5C-U2.0	XM12-MA-5C-U2.0	XM12-FA-5C-U2.0
		5m	XM12-MS-5C-U5.0	XM12-FS-5C-U5.0	XM12-MA-5C-U5.0	XM12-FA-5C-U5.0
		10m	XM12-MS-5C-U10.0	XM12-FS-5C-U10.0	XM12-MA-5C-U10.0	XM12-FA-5C-U10.0
8	PVC	2m	XM12-MS-8C-V2.0	XM12-FS-8C-V2.0	XM12-MA-8C-V2.0	XM12-FA-8C-V2.0
		5m	XM12-MS-8C-V5.0	XM12-FS-8C-V5.0	XM12-MA-8C-V5.0	XM12-FA-8C-V5.0
		10m	XM12-MS-8C-V10.0	XM12-FS-8C-V10.0	XM12-MA-8C-V10.0	XM12-FA-8C-V10.0
	PUR	2m	XM12-MS-8C-U2.0	XM12-FS-8C-U2.0	XM12-MA-8C-U2.0	XM12-FA-8C-U2.0
		5m	XM12-MS-8C-U5.0	XM12-FS-8C-U5.0	XM12-MA-8C-U5.0	XM12-FA-8C-U5.0
		10m	XM12-MS-8C-U10.0	XM12-FS-8C-U10.0	XM12-MA-8C-U10.0	XM12-FA-8C-U10.0

■ XM12 單頭帶綫插頭(帶屏蔽) XM12 Single - End Cordsets (with Shield)

類型 Type 芯數 No. of Contact			Male Straight	Female Straight	Male Angled	Female Angled
4 D-Code	PVC	2m	XM12D-MS-4C-VS2.0	XM12D-FS-4C-VS2.0	XM12D-MA-4C-VS2.0	XM12D-FA-4C-VS2.0
		5m	XM12D-MS-4C-VS5.0	XM12D-FS-4C-VS5.0	XM12D-MA-4C-VS5.0	XM12D-FA-4C-VS5.0
		10m	XM12D-MS-4C-VS10.0	XM12D-FS-4C-VS10.0	XM12D-MA-4C-VS10.0	XM12D-FA-4C-VS10.0
	PUR	2m	XM12D-MS-4C-US2.0	XM12D-FS-4C-US2.0	XM12D-MA-4C-US2.0	XM12D-FA-4C-US2.0
		5m	XM12D-MS-4C-US5.0	XM12D-FS-4C-US5.0	XM12D-MA-4C-US5.0	XM12D-FA-4C-US5.0
		10m	XM12D-MS-4C-US10.0	XM12D-FS-4C-US10.0	XM12D-MA-4C-US10.0	XM12D-FA-4C-US10.0
5 B-Code	PVC	2m	XM12B-MS-5C-VS2.0	XM12B-FS-5C-VS2.0	XM12B-MA-5C-VS2.0	XM12B-FA-5C-VS2.0
		5m	XM12B-MS-5C-VS5.0	XM12B-FS-5C-VS5.0	XM12B-MA-5C-VS5.0	XM12B-FA-5C-VS5.0
		10m	XM12B-MS-5C-VS10.0	XM12B-FS-5C-VS10.0	XM12B-MA-5C-VS10.0	XM12B-FA-5C-VS10.0
	PUR	2m	XM12B-MS-5C-US2.0	XM12B-FS-5C-US2.0	XM12B-MA-5C-US2.0	XM12B-FA-5C-US2.0
		5m	XM12B-MS-5C-US5.0	XM12B-FS-5C-US5.0	XM12B-MA-5C-US5.0	XM12B-FA-5C-US5.0
		10m	XM12B-MS-5C-US10.0	XM12B-FS-5C-US10.0	XM12B-MA-5C-US10.0	XM12B-FA-5C-US10.0
8 X-Code	PVC	2m	XM12X-MS-8C-VS2.0	XM12X-FS-8C-VS2.0	XM12X-MA-8C-VS2.0	XM12X-FA-8C-VS2.0
		5m	XM12X-MS-8C-VS5.0	XM12X-FS-8C-VS5.0	XM12X-MA-8C-VS5.0	XM12X-FA-8C-VS5.0
		10m	XM12X-MS-8C-VS10.0	XM12X-FS-8C-VS10.0	XM12X-MA-8C-VS10.0	XM12X-FA-8C-VS10.0
	PUR	2m	XM12X-MS-8C-US2.0	XM12X-FS-8C-US2.0	XM12X-MA-8C-US2.0	XM12X-FA-8C-US2.0
		5m	XM12X-MS-8C-US5.0	XM12X-FS-8C-US5.0	XM12X-MA-8C-US5.0	XM12X-FA-8C-US5.0
		10m	XM12X-MS-8C-US10.0	XM12X-FS-8C-US10.0	XM12X-MA-8C-US10.0	XM12X-FA-8C-US10.0